

IBERINOX 88



CLASIFICACIÓN ACEROS RÁPIDOS

	Cr	Mo	W	V	Co
HSS M 1	3,75	8,5	1,5	1	
HSS M 2	4	5	6	2	
HSS M 3 (Class 1)	4	5	6	2,4	
HSS M3 (Class 2) / ASP 23	4		6	3	
HSS M4	4	4,5	5,5	4	
HSS M7	4	8,75	1,75	2	
HSS M10	4	8		2	
HSS M30	4	8	2	1,25	5
HSS M33	4	9,5	1,5	1	8
HSS M34	4	8	2	2	8
HSS M35	4,12	5	6	1,98	5
HSS M36 / ASP 30	4,25	5	6,25	2	8,25
HSS M41	4,12	3,75	6,5	2	5,25
HSS M42	3,88	9,5	1,5	1	8,25
HSS M43	3,88	8	2,62	1,62	8,25
HSS M44	4,5	6,5	5,5	2	11,62
HSS M46	3,95	8,25	2,15	3,15	8
HSS M47	3,75	9,5	1,5	1,25	5
HSS M48	3,75	5,25	10	3	9
HSS M50	4	4,2		1	
HSS M52	4	4,5	1,2	1,9	
HSS M62	3,75	10,5	6,25	2	
HSS T1	4		18	1	
HSS T15	4		12,5	5	5
HSS ASP 2052	4,8	2	10,5	5	8